

Položka	Počet ks	Profil	Délka 1 ks [mm]	Celk. délka [m]	Jedn. hmotn. [kg]	Celk. hmotn. [kg]	Materiál	Poznámka	Nát. plocha [m²]
---------	----------	--------	-----------------	-----------------	-------------------	-------------------	----------	----------	------------------

VZT PLOŠINA		1 ks							
Výkaz pro 1 ks:		(1 T / 0 N)							
	2	HEA 120	7400	14,800	19,860	293,935	S235		10,060
	1	HEA 120	3800	3,800	19,860	75,470	S235		2,580
	60	P 8*50	100	0,300	62,800	18,840	S235		0,700
	120	P 8*50	98	0,590	62,800	36,926	S235		1,370
	60	HST 3						HILTI	0,000
	18	TR 82.5*5	438	7,880	9,556	75,342	S235		2,050
	50	P 6*70	70	0,240	47,100	11,540	S235		0,520
	2	UPE140_DIN	7800	15,600	14,500	226,200	S235		8,110
	8	UPE140_DIN	975	7,800	14,500	113,100			4,060
	2	UPE140_DIN	2050	4,100	14,500	59,450			2,130
	3	HEA 120	975	2,920	19,860	58,092	S235		1,990
	2	IPE 140	4030	8,060	12,874	103,764	S235		4,430
	1	UPE120_DIN	4030	4,030	12,100	48,763	S235		1,850
	3	UPE120_DIN	350	1,050	12,100	12,705	S235		0,480
	4	L 50*5	1300	5,200	3,768	19,594	S235		0,990
	4	UPE120_DIN	250	1,000	12,100	12,100	S235		0,460
	2	UPE120_DIN	335	0,670	12,100	8,107	S235		0,310
	2	L 50*5	200	0,400	3,768	1,507	S235		0,080
	2	L 50*5	1650	3,300	3,768	12,434	S235		0,630
	3	KR 20	450	1,350	2,466	3,329	B500B		0,080
m2		SP 330*34*38		6,700	29,500	197,650	S235	ROŠT	0,000
	1	TR 44.5*2.5	4000	4,000	2,589	10,358	S235JRG2		0,560
	1	TR 32*2	4000	4,000	1,480	5,919	S235JRG2		0,400
	6	TR 44.5*5	1200	7,200	4,871	35,069	S235JRG2		1,010
						1440,194			
CELKEM pro				1 ks		1440,194			
Přídavek						109,806			
CELKEM pro				1 ks		1550,000			

Únik.schodiště 1		1 ks							
Výkaz pro 1 ks:		(1 T / 0 N)							
	2	P 15*200	220	0,090	117,750	10,362	S235JRG2		0,190
	12	M16 HIT*HY 200					HILTI	lep.kotva,hl.kotv.	0,000
	4	P 30*50	250	0,050	235,500	11,775	S235J0	mont.podlozky	0,160
	4	P 15*160	200	0,130	117,750	15,072	S235JRG2		0,280
	8	P 30*50	250	0,100	235,500	23,550	S235J0	mont.podlozky	0,320
	2	U 200	330	0,660	25,277	16,683	S235JRG2		0,440
	2	U 200	3900	7,800	25,277	197,161	S235JRG2		5,150
	2	U 200	440	0,880	25,277	22,244	S235JRG2		0,580
	2	U 200	550	1,100	25,277	27,805	S235JRG2		0,730
	2	U 200	3800	7,600	25,277	192,105	S235JRG2		5,020
	2	U 200	1800	3,600	25,277	90,997	S235JRG2		2,380
	1	U 200	1100	1,100	25,277	27,805	S235JRG2		0,730
	1	L 30*3	1400	1,400	1,366	1,912	S235JRG2		0,170
	8	L 30*3	1600	12,800	1,366	17,484	S235JRG2		1,540
	1	L 30*3	1200	1,200	1,366	1,639	S235JRG2		0,140
	1	L 30*3	1200	1,200	1,366	1,639	S235JRG2		0,140
m2		P 6		0,300	47,100	14,130	S235JRG2		0,600

Položka	Počet ks	Profil	Délka 1 ks [mm]	Celk. délka [m]	Jedn. hmotn. [kg]	Celk. hmotn. [kg]	Materiál	Poznámka	Nát. plocha [m²]
	22	STUPEN 290*1100			9,600	211,200	černý rošt	SP240-34/38-3,D	0,000
	22	NAŠL.HRANA H 28*	1100	24,200	1,000	24,200	černý rošt		0,000
	m2	ROŠT		3,600	28,100	101,160	černý rošt	SP240-34/38-3, D	0,000
	2	U 140	2000	4,000	16,014	64,056	S235JRG2		1,960
	1	HEA 140	1250	1,250	24,649	30,811	S235JRG2		0,990
	2	L 40*4	1100	2,200	2,418	5,319	S235JRG2		0,330
	4	L 40*4	1500	6,000	2,418	14,507	S235JRG2		0,900
	6	PLO 50*4	140	0,840	1,570	1,319	S235JRG2		0,090
	4	P 6*140	140	0,080	47,100	3,693	S235JRG2		0,170
	m2	P 6		0,200	47,100	9,420	S235JRG2		0,400
	4	P 10*75	200	0,060	78,500	4,710	S235JRG2		0,140
	2	P 6*75	200	0,030	47,100	1,413	S235JRG2		0,060
	1	HEA 140	2000	2,000	24,649	49,298	S235JRG2		1,580
	2	U 140	3850	7,700	16,014	123,308	S235JRG2		3,770
	4	L 40*4	1100	4,400	2,418	10,638	S235JRG2		0,660
	6	L 40*4	1700	10,200	2,418	24,662	S235JRG2		1,530
	10	PLO 50*4	140	1,400	1,570	2,198	S235JRG2		0,150
	4	P 6*140	140	0,080	47,100	3,693	S235JRG2		0,170
	m2	P 6		0,300	47,100	14,130	S235JRG2		0,600
	m	JAKL 60*40*3		11,700	4,383	51,281	S235JRH		0,000
	10	JAKL 50*3	1300	13,000	4,383	56,979	S235JRH		2,470
	10	JAKL 50*3	130	1,300	4,383	5,698	S235JRH		0,250
	10	P 10*140	200	0,280	78,500	21,980	S235JRG2		0,600
	20	L 60*40*6	860	17,200	4,459	76,691	S235JRG2		3,270
	2	L 60*40*6	11700	23,400	4,459	104,336	S235JRG2		4,450
	20	PLO 50*8	860	17,200	3,140	54,008	S235JRG2		2,060
	m2	TAHOKOV		9,800	19,000	186,200		43x13-2.5x2	0,000
						1929,271			
CELKEM pro				1 ks		1929,271			
Přídavek						60,729			
CELKEM pro				1 ks		1990,000			

Unik.schodiště 3		1 ks							
Výkaz pro 1 ks:		(1 T / 0 N)							
	2	P 15*200	220	0,090	117,750	10,362	S235JRG2		0,190
	8	M16 HIT*HY 200					HILTI	lep.kotva,hl.kotv.	0,000
	4	P 30*50	250	0,050	235,500	11,775	S235J0	mont.podlozky	0,160
	2	P 15*140	220	0,060	117,750	7,253	S235JRG2		0,130
	4	P 30*50	180	0,040	235,500	8,478	S235J0	mont.podlozky	0,130
	2	U 200	300	0,600	25,277	15,166	S235JRG2		0,400
	2	U 200	1980	3,960	25,277	100,097	S235JRG2		2,610
	2	U 200	2100	4,200	25,277	106,163	S235JRG2		2,770
	1	U 200	1250	1,250	25,277	31,596	S235JRG2		0,820
	1	HEA 120	1250	1,250	19,860	24,826	S235JRG2		0,850
	2	HEA 120	800	1,600	19,860	31,776	S235JRG2		1,090
	10	P 8*120	120	0,140	62,800	9,043	S235JRG2		0,300
	2	P 8*120	200	0,050	62,800	3,014	S235JRG2		0,110
	2	P 6*100	200	0,040	47,100	1,884	S235JRG2		0,080
	m2	P 6		0,150	47,100	7,065	S235JRG2		0,300
	4	STUPEN 290*1100			9,600	38,400	černý rošt	SP240-34/38-3,D	0,000
	8	NAŠL.HRANA H 28*	1100	8,800	1,000	8,800	černý rošt		0,000
	m2	ROŠT		2,600	28,100	73,060	černý rošt	SP240-34/38-3,D	0,000

Položka	Počet ks	Profil	Délka 1 ks [mm]	Celk. délka [m]	Jedn. hmotn. [kg]	Celk. hmotn. [kg]	Materiál	Poznámka	Nát. plocha [m²]
	m	JAKL 60*40*3		4,700	4,383	20,600	S235JRH		0,890
	5	JAKL 50*3	1300	6,500	4,383	28,489	S235JRH		1,240
	5	JAKL 50*3	130	0,650	4,383	2,849	S235JRH		0,120
	5	P 10*140	200	0,140	78,500	10,990	S235JRG2		0,300
	10	L 60*40*6	860	8,600	4,459	38,346	S235JRG2		1,630
	2	L 60*40*6	4700	9,400	4,459	41,913	S235JRG2		1,790
	10	PLO 50*8	860	8,600	3,140	27,004	S235JRG2		1,030
	m2	TAHOKOV		4,800	19,000	91,200	S235JRG2	43x13-2.5x2	0,000
	6	JAKL 50*3	1300	7,800	4,383	34,187	S235JRH		1,480
	6	JAKL 50*3	130	0,780	4,383	3,419	S235JRH		0,150
	6	P 10*140	200	0,170	78,500	13,188	S235JRG2		0,360
	12	L 60*40*6	860	10,320	4,459	46,015	S235JRG2		1,960
	2	L 60*40*6	4800	9,600	4,459	42,804	S235JRG2		1,820
	12	PLO 50*8	860	10,320	3,140	32,405	S235JRG2		1,240
	m2	P 6		0,200	47,100	9,420	S235JRG2		0,400
						931,587			
CELKEM pro				1 ks		931,587			
Přídavek						28,413			
CELKEM pro				1 ks		960,000			

Unik.schodiště 2		1 ks							
Výkaz pro 1 ks:		(1 T / 0 N)							
	2	P 15*200	220	0,090	117,750	10,362	S235JRG2		0,190
	8	M16 HIT*HY 200					HILTI	lep.kotva,hl.kotv.	0,000
	4	P 30*50	250	0,050	235,500	11,775	S235J0	mont.podlozky	0,160
	2	P 15*140	220	0,060	117,750	7,253	S235JRG2		0,130
	4	P 30*50	160	0,030	235,500	7,536	S235J0	mont.podlozky	0,100
	2	U 200	300	0,600	25,277	15,166	S235JRG2		0,400
	2	U 200	1950	3,900	25,277	98,580	S235JRG2		2,570
	2	U 200	2100	4,200	25,277	106,163	S235JRG2		2,770
	1	U 200	1250	1,250	25,277	31,596	S235JRG2		0,820
	1	HEA 120	1250	1,250	19,860	24,826	S235JRG2		0,850
	2	HEA 120	1000	2,000	19,860	39,721	S235JRG2		1,360
	2	L 40*4	1200	2,400	2,418	5,803	S235JRG2		0,360
	4	P 8*120	120	0,060	62,800	3,617	S235JRG2		0,130
	6	STUPEN 290*1100			9,600	57,600	černý rošt	SP240-34/38-3,D	0,000
	12	NAŠL.HRANA H 28*	1100	13,200	1,000	13,200	černý rošt		0,000
	m2	ROŠT		2,600	28,100	73,060	černý rošt	sp240-34/38-3,D	0,000
	m	JAKL 60*40*3		5,300	4,383	23,230	S235JRH		1,010
	m2	P 6		0,200	47,100	9,420	S235JRG2		0,400
						538,908			
CELKEM pro				1 ks		538,908			
Přídavek						21,092			
CELKEM pro				1 ks		560,000			